



1	BASEMENT - FLOOR PLAN
A1001	1/8" = 1'-0"



2	BASEMENT FLOOR - FLOOR PLAN
AI001	1/8" = 1'-0"



3 P-TRAP FLOOR REPAIR DETAIL
A1001 NOT TO SCALE

1. PROVIDE DISTURBED PARTINGS AS REQUIRED TO ACCOMPLISH WORK WITH MINIMAL DISTRIBUTION TO FUNCTION OF ADJACENT AREAS, RETAIN AND REPAIR PARTINGS, MAINTAIN ALL EXISTING SERVICES IN ADJACENT AREAS OF THE BUILDING DURING THE PROJECT, MAINTAIN ALL EGRESS AND THE RAINING REQUIREMENTS.
2. GENERAL CONTRACTORS SHALL COORDINATE ALL DEMOLITION WORK, FINISHING AND RECONSTRUCTION WITH THE OWNER.
3. GENERAL CONTRACTORS SHALL BE RESPONSIBLE FOR COORDINATING WITH ALL TRADES FOR THE DEMOLITION WORK REQUIRED FOR THIS PROJECT.
4. WHERE CEILING IS TO BE DEMOLISHED, REMOVE CEILING, EXTERIOR STATIONARY SIGN, WORK WITH ALL ASSOCIATED MECHANICAL AND ELECTRICAL DRAWINGS FOR EXTEND OF CONDENS, PIPING AND DUCTWORK DEMOLITION WITH AREA TO BE DEMOLISHED.
5. ALL DISTURBED AREAS SHALL BE REFINISHED, FLOOR ELEV. DANCED BY DEMOLITION WORK SHALL BE FINISHED TO MATCH ADJACENT AREA.
6. WE RESERVE THE RIGHT OF FIRST REFUSAL OF ALL SAVED ITEMS SUCH AS: BOOKS, LIGHT FIXTURES, FURNITURE, FRONTS ETC.
7. DO NOT REMOVE ANY EXISTING STRUCTURAL SUPPORT MEMBERS SUCH AS COLUMNS, BEAMS, JOISTS, LOAD-BEARING PARTINGS ETC. UNTIL ADEQUATE REPLACEMENT OR TRANSFER SUPPORT IS IN PLACE. ALL EXISTING PARTINGS SHALL BE REPAIR OR RECONSTRUCTED TO BE RECONSTRUCTED, COORDINATE WITH STRUCTURAL ENGINEER.
8. SEE MECHANICAL AND ELECTRICAL DRAWINGS FOR RELATED DEMOLITION AND REPAIR WORK.
9. DRAWINGS INCLUDE EXISTING CONDITIONS AS SET, AREAS INDICATED ON OWNER PROVIDED AS-BUILT DRAWINGS AND SET, REPAIR, RECONSTRUCT, ACTUAL CONDITIONS MAY VARY FROM THE CONDITIONS INDICATED. THE CONTRACTOR IS RESPONSIBLE TO VERIFY EXISTING CONDITIONS.

1. EXISTING FIBERGLASSING THAT MAY BE DISTURBED OR REMOVED IS TO BE REPAIRED BY CONTRACTOR.
2. CONTRACTOR IS RESPONSIBLE FOR COORDINATING SHUTDOWNS WITH OWNER. ALL WORK IS TO BE COMPLETED ON WEEKENDS OR OFF-HOURS.
3. CONTRACTOR IS RESPONSIBLE FOR MAKING SMOOTH, FLAT TRANSITIONS BETWEEN DIFFERENT LOORING MATERIALS.
4. CONTRACTOR TO PATCH AND REPAIR ANY SURFACES DAMAGED BY CONSTRUCTION, SEAL ALL PENETRATIONS SIMILAR TO ADJACENT.
5. PATCH AND REPAIR INTERFLOOR FLOOR AS REQUIRED. SEE DETAIL 2/A001.

- FLOOR PLAN KEYED NOTES:
- | | |
|---|---|
| 1 | MECHANICAL EQUIPMENT – SEE MECHANICAL |
| 2 | DEND PORTION OF EXISTING CONC SLAB TO ALLOW FOR 4H P-TIE, FIELD VENTIL EXACT LOCATION AND SIZE REQUIRED, PROVIDE 2" MIN CONC CURB AROUND SLAB DEPRESSION, SEE 3 ABOVE FOR ADDITIONAL INFO |
| 3 | NOT USED |

REVISIONS					
Δ	AMENDMENT #3				02/18/13
Δ	AMENDMENT #1				02/05/13
					DATE

GENERAL
NOTES:


GENERAL CONTRACTOR AND/OR SUBCONTRACTORS SHALL FIELD VERIFY ALL DIMENSIONS SHOWN ON THESE PLANS AND SHALL BE RESPONSIBLE FOR CORRECTING ANY DISCREPANCIES. THE CONTRACTOR SHALL NOTIFY THE PROJECT ENGINEER IN WRITING PRIOR TO PROCEEDING WITH CONSTRUCTION. NO ADJUSTMENT TO THE WORK WILL BE MADE WITHOUT THE PRIOR APPROVAL OF THE PROJECT ENGINEER.

GENERAL CONTRACTOR SHALL BE RESPONSIBLE FOR GENERAL DEMOLITION INCLUDING REMOVAL OF WALLS, PARTITIONS, DOORS & WINDOWS, CEILING, FLOORING, PARTITION WALLS, FLOORS OR STRUCTURE FOR STRIPPING OR CONDUIT SHALL BE THE CONTRACTOR'S RESPONSIBILITY. CONCRETE SHALL BE REMOVED FROM THE EXISTING CONCRETE SLAB. THE CONTRACTOR SHALL BE RESPONSIBLE FOR DEMOLITION OF EXISTING CONCRETE, FORMWORK, PARTITION WALLS, FLOORS OR STRUCTURE FOR STRIPPING OR CONDUIT SHALL BE THE CONTRACTOR'S RESPONSIBILITY. DEMOLITION OF EXISTING CONCRETE, FORMWORK, PARTITION WALLS, FLOORS OR STRUCTURE FOR STRIPPING OR CONDUIT SHALL BE THE CONTRACTOR'S RESPONSIBILITY. DEMOLITION OF EXISTING CONCRETE, FORMWORK, PARTITION WALLS, FLOORS OR STRUCTURE FOR STRIPPING OR CONDUIT SHALL BE THE CONTRACTOR'S RESPONSIBILITY.

GENERAL CONTRACTOR SHALL BE RESPONSIBLE FOR DEMOLITION INCLUDING REMOVAL OF WALLS, PARTITIONS, DOORS & WINDOWS, CEILING, FLOORING, PARTITION WALLS, FLOORS OR STRUCTURE FOR STRIPPING OR CONDUIT SHALL BE THE CONTRACTOR'S RESPONSIBILITY. CONCRETE SHALL BE REMOVED FROM THE EXISTING CONCRETE SLAB. THE CONTRACTOR SHALL BE RESPONSIBLE FOR DEMOLITION OF EXISTING CONCRETE, FORMWORK, PARTITION WALLS, FLOORS OR STRUCTURE FOR STRIPPING OR CONDUIT SHALL BE THE CONTRACTOR'S RESPONSIBILITY. DEMOLITION OF EXISTING CONCRETE, FORMWORK, PARTITION WALLS, FLOORS OR STRUCTURE FOR STRIPPING OR CONDUIT SHALL BE THE CONTRACTOR'S RESPONSIBILITY.


B | W | B | R

Lawson Commons
380 Saint Peter Street,
Suite 600
Saint Paul, MN 55102-1999
651-222-3701



I HEREBY CERTIFY THAT THIS PLAN, SPECIFICATIONS AND REPORTS WERE PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MINNESOTA

REGISTRATION NUMBER: 20095


Peter A. Smith

Drawing Scale

$1'' = 1'-0''$

Plot Scale

$12'' = 1'-0''$

Approved: _____ Drawing Title: _____

Approved: _____ Architectural - Basement Floor Plan

Approved: _____ Service Director

Project Title	
SPD HVAC IMPROVEMENTS	
Location	V/A MEDICAL CENTER ONE VETERANS DRIVE MINNEAPOLIS, MN 55417
Date	08-13-2012
Checked	MB
Drawn	TMS

Project No.
VA Proj # 618-12-127;
BWMR Proj # 3.2012014.00

Building Number
70

DRAWING NO.
1260-A1001

Dwg. 3 of 28

Office of
Facilities
Management

 Department of
Veterans Affairs

100% CD ISSUE
FULLY SPRINKLERED